



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 1 of 10

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **Premium Cork Insulation Tape**

**Product Code(s)** : PT1 (P/N 475291); VCT2 (P/N 475294)

**Recommended use of the chemical and restrictions on use**

: Air conditioning and refrigeration tapes for insulation and prevention of condensation.  
Restriction on use: None known

**Chemical family**

: Mixture. This article is a black, tacky rubber compound. It is supplied as a tape on a release paper.

**Name, address, and telephone number of the supplier:**

**Parker Hannifin Corporation - Sporlan Division**

206 Lange Drive  
Washington, MO, U.S.A.  
63090

Supplier's Telephone # : (636) 239-1111

**24 Hr. Emergency Tel #** : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

**Name, address, and telephone number of the manufacturer:**

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Solid article. Asphalt odour.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

**Label elements**

*Hazard pictogram(s)*

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

*Signal Word*

Not required

*Hazard statement(s)*

None required.

*Precautionary statement(s)*

None required.

**Other hazards**

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. This product may release hydrogen sulfide (H<sub>2</sub>S) if it is heated to high temperatures.



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 2 of 10

## SAFETY DATA SHEET

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Asphalt	Bitumen	8052-42-4	30.0 - 60.0
Calcium carbonate	Calcite	1317-65-3	10.0 - 30.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Never give anything by mouth if victim is unconscious. If symptoms develop, seek medical attention.
- Inhalation* : Move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Obtain medical advice.
- Skin contact* : IF ON SKIN: Wash affected areas with soap and water. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

- : May cause respiratory irritation. This product may release hydrogen sulfide (H<sub>2</sub>S) if it is heated to high temperatures. Inhalation could result in pulmonary edema (fluid accumulation).

#### Indication of any immediate medical attention and special treatment needed

- : Treatment symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

- Suitable extinguishing media* : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

- Unsuitable extinguishing media* : Do not use water jet, as this may spread burning material.

#### Special hazards arising from the substance or mixture / Conditions of flammability

- : None known or reported by the manufacturer.

#### Flammability classification (OSHA 29 CFR 1910.106)

- : Not flammable.

#### Hazardous combustion products

- : Carbon oxides; formaldehyde; Nitrogen oxides (NO<sub>x</sub>); Sulphur oxides; hydrogen sulphide; Other unidentified organic compounds.

#### Special protective equipment and precautions for firefighters

- Protective equipment for fire-fighters* : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### *Special fire-fighting procedures*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 3 of 10

## SAFETY DATA SHEET

### SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

**Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

**Methods and material for containment and cleaning up**

- : Remove all sources of ignition. Stop spill or leak at source if safely possible. Ventilate area of release. Sweep up and shovel into suitable containers for disposal. Refer to Section 13 for disposal of contaminated material. Notify the appropriate authorities as required.

**Special spill response procedures**

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
 US CERCLA Reportable quantity (RQ): None reportable.

### SECTION 7. HANDLING AND STORAGE

**Precautions for safe handling**

- : Provide adequate ventilation. Use personal protective equipment as required. Avoid breathing fumes. Avoid contact with skin and eyes. Keep away from extreme heat and flame. Keep away from incompatibles. Keep containers closed when not in use. Wash thoroughly after handling.

**Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Protect against moisture, water, and physical damage.

**Incompatible materials** : Acids; Strong oxidizing agents; Bases; Reducing agents .

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>					
	<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
		<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Asphalt	0.5 mg/m <sup>3</sup> (fume, inhalable fraction, as benzene soluble aerosol)	N/Av	N/Av	N/Av	
Calcium carbonate	N/Av	N/Av	15 mg/m <sup>3</sup> (total dust); 5 mg/m <sup>3</sup> (respirable)	N/Av	

**Exposure controls**

**Ventilation and engineering measures**

- : Provide adequate ventilation. If product is processed in a manner that generates dusts or fumes, provide mechanical ventilation to control airbourne exposure levels.

**Respiratory protection**

- : Not required under normal conditions of handling. If product is processed in a manner that generates dusts or fumes, conduct air monitoring to assess the need for respiratory protection. If respiratory protection is warranted, wear NIOSH-approved respirators. Advice should be sought from respiratory protection specialists.

**Skin protection**

- : Not required under normal conditions of handling. For prolonged or repeated contact use protective gloves. Advice should be sought from glove suppliers.



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 4 of 10

## SAFETY DATA SHEET

- Eye / face protection** : Not required under normal conditions of handling. If product is processed in a manner that generates dusts or fumes, wear as appropriate: Safety glasses with side shields; Goggles.
- Other protective equipment** : An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

### General hygiene considerations

- : Avoid breathing fumes. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Solid article. This article is a black, tacky rubber compound. It is supplied as a tape on a release paper.
- Odour** : Asphalt odour.
- Odour threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : N/Av
- Initial boiling point and boiling range** : N/Av
- Flash point** : None.
- Flashpoint (Method)** : N/Av
- Evaporation rate (BuAe = 1)** : N/Av
- Flammability (solid, gas)** : Not flammable.
- Lower flammable limit (% by vol.)** : N/Av
- Upper flammable limit (% by vol.)** : N/Av
- Oxidizing properties** : None.
- Explosive properties** : Not explosive
- Vapour pressure** : N/Av
- Vapour density** : N/Av
- Relative density / Specific gravity** : 0.83
- Solubility in water** : insoluble
- Other solubility(ies)** : None known.
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : N/Av
- Auto-ignition temperature** : N/Av
- Decomposition temperature** : Not available.
- Viscosity** : N/Av
- Volatiles (% by weight)** : Not available.
- Volatile organic Compounds (VOC's)** : None.
- Absolute pressure of container** : N/Av
- Flame projection length** : N/Av



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 5 of 10

## SAFETY DATA SHEET

### Other physical/chemical comments

: No additional information.

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Not a hazard under normal conditions of use.

**Chemical stability** : Stable under the recommended storage and handling conditions prescribed.

#### Possibility of hazardous reactions

: None expected, when used as intended.

**Conditions to avoid** : Avoid heat and open flame. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.

**Incompatible materials** : Incompatible materials (see Section 7).

#### Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

**Routes of entry inhalation** : YES

**Routes of entry skin & eye** : YES

**Routes of entry Ingestion** : YES

**Routes of exposure skin absorption**

: NO

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

: May cause mild respiratory irritation at higher temperatures.

This product may release hydrogen sulfide (H<sub>2</sub>S) if it is heated to high temperatures. Severe respiratory irritation (from vapours or mists) is possible. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

###### *Sign and symptoms ingestion*

: None expected, when used as intended. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

###### *Sign and symptoms skin*

: Direct skin contact may result in little or no irritation.

###### *Sign and symptoms eyes*

: Causes little or no irritation.

##### Potential Chronic Health Effects

: None known or reported by the manufacturer.

**Mutagenicity** : Not expected to be mutagenic in humans.

**Carcinogenicity** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

##### Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

**Sensitization to material** : Not expected to be a skin or respiratory sensitizer.

**Specific target organ effects** : Eyes, skin, respiratory system and digestive system.

The substance or mixture is not classified as specific target organ toxicant, single exposure.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 6 of 10

## SAFETY DATA SHEET

**Medical conditions aggravated by overexposure**

: None known or reported by the manufacturer.

**Synergistic materials**

: Not available.

**Toxicological data**

: See below for individual ingredient acute toxicity data. No data is available on the product itself.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u>	<u>LD<sub>50</sub></u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Asphalt	N/Av	> 5000 mg/kg	>2000mg/kg (no deaths)
Calcium carbonate	>3mg/L (no deaths)	6450 mg/kg	>2000 mg/kg (no deaths)

**Other important toxicological hazards**

: None known.

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

: As supplied, this product does not present a physical, health or environmental hazard.

No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

**Ecotoxicity data:**

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Asphalt	8052-42-4	N/Av	N/Av	N/Av
Calcium carbonate	1317-65-3	>57000mg/L (Golden orfe)	N/Av	N/Av

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Asphalt	8052-42-4	N/Av	N/Av	N/Av
Calcium carbonate	1317-65-3	N/Av	N/Av	N/Av

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Asphalt	8052-42-4	N/Av	N/Av	N/Av
Calcium carbonate	1317-65-3	N/Av	N/Av	N/Av

**Persistence and degradability**

: No data is available on the product itself.

**Bioaccumulation potential**

: No data is available on the product itself.



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 7 of 10

## SAFETY DATA SHEET

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Asphalt (CAS 8052-42-4)	>6	no bioaccumulation expected

**Mobility in soil** : No data is available on the product itself.

**Other Adverse Environmental effects**

: No data is available on the product itself.




### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal** : See Section 7 (Handling and Storage) for further details.

**Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None	Not regulated.	Not regulated	none	
<b>TDG Additional information</b>	None.				
49CFR/DOT	None	Not regulated.	Not regulated	none	
<b>49CFR/DOT Additional information</b>	None.				
ICAO/IATA	None.	Not regulated.	Not regulated	none	
<b>ICAO/IATA Additional information</b>	None.				

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: Not applicable.



Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 8 of 10

## SAFETY DATA SHEET

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Asphalt	8052-42-4	Yes	N/Ap	N/Av	No	N/Ap
Calcium carbonate	1317-65-3	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: None. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Asphalt	8052-42-4	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Calcium carbonate	1317-65-3	No	N/Ap	No	Yes	Yes	Yes	Yes	Yes

#### Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS Classification: See Section 2.

#### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Asphalt	8052-42-4	232-490-9	Present	Present	(9)-1720	KE-01954	Present	Not listed
Calcium carbonate	1317-65-3	215-279-6	Present	Present	(1)-122	KE-21996	Present	Not listed

### SECTION 16. OTHER INFORMATION

#### **Legend**

- : ACGIH: American Conference of Governmental Industrial Hygienists
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations





Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 9 of 10

## SAFETY DATA SHEET

DOT: Department of Transportation  
 DSL: Domestic Substances List  
 EPA: Environmental Protection Agency  
 HMIS: Hazardous Materials Identification System  
 HSDB: Hazardous Substances Data Bank  
 IARC: International Agency for Research on Cancer  
 Inh: Inhalation  
 LC: Lethal Concentration  
 LD: Lethal Dose  
 MA: Massachusetts  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NFPA: National Fire Protection Association  
 NIOSH: National Institute of Occupational Safety and Health  
 NJ: New Jersey  
 NTP: National Toxicology Program  
 OSHA: Occupational Safety and Health Administration  
 PA: Pennsylvania  
 PEL: Permissible exposure limit  
 RCRA: Resource Conservation and Recovery Act  
 RI: Rhode Island  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
  2. International Agency for Research on Cancer Monographs, searched 2017
  3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2017(Chempendium, HSDB and RTECs).
  4. Material Safety Data Sheets from manufacturer.
  5. US EPA Title III List of Lists - 2017 version.
  6. California Proposition 65 List - 2017 version.
  7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2017.

**Preparation Date (mm/dd/yyyy)**

: 04/01/2015

**Reviewed Date SDS (dd/mm/yyyy)**

: 06/02/2019

**Revision No.**

: 2

**Revision Information**

: (M)SDS sections updated: All (format change)

**Other special considerations for handling**

:

**HMIS Rating**

: \* - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe  
*Health: 1 Flammability: 1 Reactivity: 0*

**NFPA Rating**

: 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe  
*Health: 1 Flammability: 1 Instability: 0 Special Hazards: None.*



Parker Hannifin Corporation - Sporlan Division  
206 Lange Drive  
Washington, MO, U.S.A., 63090  
Telephone: (636) 239 1111

Premium Cork Insulation Tape

PT1 (P/N 475291); VCT2 (P/N 475294)

SDS Revision Date (mm/dd/yyyy): 02/06/2019

Page 10 of 10

## SAFETY DATA SHEET

<p><b>Prepared for:</b> Parker Hannifin Corporation Sporlan Division 206 Lange Drive, Washington, MO, U.S.A. 63090 Telephone: (636) 239-1111 <a href="http://www.parker.com">www.parker.com</a> Direct all enquiries to: Parker Hannifin Corp. Sporlan Division.</p>	
<p><b>Prepared by:</b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Parker Hannifin Corp and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corp.

**END OF DOCUMENT**